

GRANARY FOR KINSLEY MILL

3/9.

76-118

~~PRIVATE DRIVE OFF 684. 754-9415~~

SEC 119, LOT ⁴⁷

→ 8241 BUCKLAND MILL RD.

14.7 ACRES

OWNER → ^{Kinsley} D.R. RICHARD E. DEBUTTS. ^{no. City of} MANASSAS VA OWNER

ADDRESS. VPPERVILLE VA,

RENTED BY. — ^{John +} BRENDA BOWERS. + FAMILY
LAURA

17 acres before lake. NOW LESS
old road from granary to horse pasture +
private drive

Log joists

stone walls to eaves

then frame in gable end.

scraped stones; sand + lime mortar
put in from front to back

a.c. front left.


walls c. 24" thick

windows are square, — 9 panes

casement swings to side (inside)

formerly shutters old green.

windows have beaded moulding



Stone 4

Room is 10' x 16' 9"


Joints 11 x 3 set
24 inches apart

plastered
+ ceiling
lath + plaster


woodwork here =
2 3/4 door frame w/ a
single bead.
plain baseboard. = over

13' 5 1/2
39 1/2
45
36
9

16



9 1/2" wide beaded
boards laid
horizontally
sq. headed cut nails
plaster on inside.
sawn lath in
ceiling



door to be made on both sides
beaded + bottom
face plate
door has wrought
iron latch +
smooth + glass.
Floor worn

door to other may be a replacement

2d Floor!


ceiling in front (formerly barge)
Bologna name
from 1820 to early 1900s
one by stone 1880s to
good work first + info
search to look like architect's name

collar beams. 3 x 2 3/4
nailed in.

3d Floor!
roof ridge to floor = 10' 10"

Kinsley Mill

2 stories



Batten shutter remains above -
lowered different shutter frame.


Water's edge 10'
2d floor
joists = 2x6

→ dutch door 3'10" x 5'10"
swings in Batten door w/
single Bead. Tougut groove.
W. door 2d floor, swings
same way. lock plate:



lock still
intact

as with door @ 3d floor



walls = 24" thick
white washed inside

wide
pine
floor


walls
plastered +
whitewashed

Staircase
installed
later—
logs cut
out for
it.

Board
partition
1" THICK
circ.
saw
marks.

walls
not
plastered, only
whitewashed

door = 19" strap hinges on a pivot pin.
beveled batten.



secured at corners w/ L bars held in w.
wrought nails?

lower part of door has
tinosey heat nails

